

	L #	Hits	Search Text	DBs
1	L91	1379815	fan or blow\$3 or propel\$5 or suction\$3	USPAT; US-PGP UB; EPO; JPO; DERWE NT
2	L92	1525	219/680-685.ccls. or 219/757.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWE NT
3	L93	1066	126/21A.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWE NT
4	L94	1115	219/400.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWE NT
5	L95	3163	92 or 93 or 94	USPAT; US-PGP UB; EPO; JPO; DERWE NT
6	L96	725554	(first or second or dual\$3 or plural\$5) near5 (flow\$3 or air or path)	USPAT; US-PGP UB; EPO; JPO; DERWE NT



	L #	Hits	Search Text	DBs
7	L97	844	96 and 95	USPAT; US-PGP UB; EPO; JPO; DERWE NT
8	L98	204439	(air or circulat\$3 or flow) near5 (external\$3 or outside or freash)	USPAT; US-PGP UB; EPO; JPO; DERWE NT
9	L99	45389	96 with 91	USPAT; US-PGP UB; EPO; JPO; DERWE NT
10	L100	420	95 and 99	USPAT; US-PGP UB; EPO; JPO; DERWE NT
11	L101	3520	99 same 98	USPAT; US-PGP UB; EPO; JPO; DERWE NT
12	L102	72	101 and 95	USPAT; US-PGP UB; EPO; JPO; DERWE NT



	L #	Hits	Search Text	DBs
13	L103	499	99 same convect\$5	USPAT; US-PGP UB; EPO; JPO; DERWE NT
14	L104	74	103 and 95	USPAT; US-PGP UB; EPO; JPO; DERWE NT
15	L105	64	104 not 102	USPAT; US-PGP UB; EPO; JPO; DERWE NT
16	L106	284	100 not 104 not 102	USPAT; US-PGP UB; EPO; JPO; DERWE NT
17	L107	1076441	(electric\$5 or resist\$5) near3 heat\$4 or heater or (heat\$3 near3 element)	USPAT; US-PGP UB; EPO; JPO; DERWE NT
18	L108	82843	91 same 107	USPAT; US-PGP UB; EPO; JPO; DERWE NT



	L #	Hits	Search Text	DBs
19	L109	732	108 and 95 not 100 not 102 not 104	USPAT; US-PGP UB; EPO; JPO; DERWE NT
20	L110	196	97 not 100 not 102 not 104 not 109	USPAT; US-PGP UB; EPO; JPO; DERWE NT
21	L111	1452845	dual\$5 or doubl\$3 or twin	USPAT; US-PGP UB; EPO; JPO; DERWE NT
22	L112	8295	111 near3 91	USPAT; US-PGP UB; EPO; JPO; DERWE NT
23	L113	39	95 and 112	USPAT; US-PGP UB; EPO; JPO; DERWE NT
24	L114	36	112 same convect\$5	USPAT; US-PGP UB; EPO; JPO; DERWE NT